















Contact person: Rudi Pommé
 Mail: r.pomme@hytech-pommec.com
 Mobile: + 31 (0)6 53 708830












NEW & SECONDHAND EQUIPMENT LIST

Position	Article	Description	Stock	Picture	Price p/p*
1	LARS HD with single HPU	Technical specifications of Base frame and A frame. • Dimensions in stored position: approx. 4.550 x 2.300 x 2.690 mm (L x W x H) • Weight is approx. 5.800 kg (complete with power packs and divers basket) • Ambient working conditions: -20°C till + 50°C • Main and clump winch are both personal lifting winches with double brake system, primary – integrated on gear box, secondary – on drum • Maximum total SWL (clump weight, dive basket + payload) approx. 1.540 Kgs • Maximum outreach from A-frame heel pin approx. 1.900 mm to center basket • Wire length: Approx. 80 meter of 10 mm rotation free basket wire and approx. 170 meter of 10 mm rotation free clump wire • Speed: 0 – 15 m / min, for the basket wire and 0 – 30 m / min for the clump wire • Use for open sea operations aboard ships-, or pontoons-, up to Hs=1,5 m conditions • Diver basket inner dimensions: approx. 1.166 x 1.166 x 2.324 mm (L x W x H) • Dimensions of the clump weight: approx. 1.430 x 400 x 240 mm (L x W x H) • Hydraulic piping and fittings are in general stainless steel	1,00		
2	HPU Unit	Technical specifications. Dimensions: 1.010 x 690 x 1.520 mm (L x W x H) Skid: One frame Skid gross weight: 545 kg Skid tare weight: 345 kg Power: 7,5 kW Power supply: 400/440 VAC 50/60Hz 32A Tank capacity: 200 liters Tank heating: 750 Watt Leak tray capacity: 220 liters Pump type: Load sensing	1,00		
3	Cage for LARS	Cage for Lars	1,00		
4	Support Package in DNV offshore container	Technical specifications. • Redundant cold water system for chamber conditioning. (primary and secondary) consisting of two (2) seawater cooled, cold water production systems • Redundant hot water system for chamber conditioning. (primary and secondary) consisting of two (2) seawater cooled, hot water production systems • One (1) isolation transformer is installed • Two (2) power transformers are installed Primary 3x440/400V --> Secondary 3x230/115V/24V/12V). • Included is one (1) UPS uninterruptible power supply for low powered electrical apparatus, such as communication, analysers, emergency light. (capacity sufficient for 30 minutes) • In addition to the 230 VAC sockets, four (4) 115 VAC wall mounted sockets are installed in the container near the control area. • A 32A three phase socket 440 VAC is also installed on the inside of the container. • Isolation monitoring will be installed. • Oxygen connection are integrated in the junction panel of the container to which external gas banks can be connected (2 x connections). • Mixed gas connection is integrated in the junction panel of the container to which external gas banks can be connected (2 x connections). These are used for the pressurisation of the chamber. • All required distribution and control systems for the aforementioned. • One readout / control panel, for display of the chamber parameters (Pressure-, oxygen- and carbon dioxide - and temperature). • CCTV system • Amron communication system with unscramble	1,00	 	

5	Decompression Chamber Ø 1800	Technical specifications. • Capacity: Max. 4 occupants (max. 3 occupants in MC, max. 1 occupant in EL). Possible configurations for the MC are: o 2 Occupants laying down, or o 3 Occupants in sitting position, or o 2 Occupants laying down + 1 attendant • Maximum operating depth: 50 [msw] / 5.13 [bar] • Hydrostatic test pressure: 8.1 [bar] • Overall length: ± 3.620 [mm] incl. Control panel • Inside diameter: ± 1.800 [mm] • Empty weight: ± 3.600 [kg] standard, no options • Inner length EL: ± 1.120 [mm] • Inner length MC: ± 2.300 [mm] • Length of supply lock: ± 320 [mm] • Diameter of supply lock: ± 230 [mm] • Viewport free diameter: ± 150 [mm] • Door opening diameter: ± 700 [mm]	1,00		
6	Self Propelled Hyperbaric Lifeboat SPHL	SPHL Lifeboat 72-hour autonomy * capacity 18 divers * Rated 300-400msw * Advanced monitoring & communication systems from Fathom * Enhanced thermal insulation & serviceability * Life Support package	1,00		
7	LARS Lite	Pommec Launch + Recovery system LARS Lite	2,00		
8	Dart-Atel	Dart-Atel set, as good as new.	1,00		
9	Compressoren	Mariner 320-E-OX compressoren, year 2024, only 3 running hours	2,00		
10	LP Compressor	LP Compressor, Honda Petrol engine, never used, 650 ltr/min, max ca 12 bar. Tank 100 ltr contents	1,00		
11	SH1138	OTS Buddy UW	1,00		
12	H.60.00087	HPU Single\BFP 7.5 kW, Incl leak tray\Ecl oil, to be determi (NEW)	1,00		

13	2.80.2872	Dive basket\Main assembly\LARS\ (NEW)	1,00		
14	P.99.06107	Power pack hydraulic\140 Bar 440V-60Hz, 32LPM\SRE-140B\ (NEW)	1,00		
15	H.20.00037	Display\Pressure, 24V, 4 digits\4-20mA, 48x24mm, JUMO\	1,00		
16	T.99.05359	Server computer Zeon, Axsub\Rack mount, 256GB SSD\Win8.1, 1U (NEW)	1,00		
17	3.80.4437	Frame with pad eyes\Weld assy\Scuba replacement set\ (NEW)	1,00		
18	T.99.04011	Underwater Chipping Hammer\Type CH18, hydraulic NO CE\Stante (NEW)	1,00		
19	H.20.00610	Gas detection controller\6-channel, DIN rail\Dittrich GWZ-S6\ (NEW)	1,00		
20	H.50.01952	Depth gauge\0-76 msw, 0.25%, 6" rear flange 1/4"NPT\25545-23\ (NEW)	3,00	 C-15-01	
21	T.98.00616	Remote Readout\Optional\3 diver hot water machine\ (NEW)	1,00		
22	T.99.04739	TESCOM Regulator, pressure reducing\Outlet range 0 - 35 bar\Tescom, (NEW)	10,00		
23	3.80.2894	Flow fuse\2x3/4"FNPT\Flow fuse\ (NEW)	4,00		







24	T.98.00139	COMPLETE PVL CUTTING TORCH SET Umbilical Gas/Oxygen T1031 50m for PVL Underwater Cutter 5.1(NEW)	1.00		
25	H.50.01209	Needle valve 3/8" FNPT, integral Bonnet, 1,80CVASC-11 Cleaned(NEW)	12.00		
26	T.99.01645	Phone, sound powered with unterminated coiled retractable co(NEW)	1.00		
27	T.99.01710	Headset THB-7A deluxe with boom mic, set up for MK-7 Buddy(NEW)	1.00		
28	H.50.00519	Hiross HFN-045S, complete 580004530, 666645(NEW)	6.00		
29	T.99.02262	Filter Hiross HFN-045Q, complete 580004510(NEW)	6.00		
30	T.99.01464	Headset with boom microphone & dual banana plugs 2460-28(NEW)	1.00		
31	T.99.02263	Filter Hiross HFN-045C, complete 580004540(NEW)	5.00		
32	3.80.2277	Led bell light 10W DLSS Assy(NEW)	6.00		
33	H.60.00095	Counter balance valve HD Lars DPI60047 (Atlantic Fluid)(NEW)	8.00		
34	T.99.02342	Wet Welding Electrodes Ø3.97mm, softouch 5/32", mild steel, UW-CS-2(NEW)	23.00		

35	T.99.02343	Wet Welding electrodes\Broco Ø4.76mm, softouch 3/16", mild s UW-CS-3(NEW)	73,00		
36	T.99.03606	ReducerT1029 for Underwater Cutter\5.10.323(NEW)	1,00		
37	H.20.00037	Display\Pressure, 24V, 4 digits\4-20mA, 48x24mm, JUMO(NEW)	1,00		
38	H.10.00094	Connector, underwater\IL-12-MP wet pluggable\ (NEW)	1,00		
39	4.50.12740	Cover cannister\ Hyperbreeze 4(NEW)	7,00		
40	3.50.1748-1	Duo air-tech block\BSP IIA\ VAISI 316/1.4401(NEW)	3,00		
41	P.99.05913	Chinese fingers\409/80SS\double eye/lace up\Stainless steel(NEW)	2,00		
42	H.10.00049	Connector, underwater\BH-2-MP wet pluggable\ (NEW)	3,00		
43	T.99.02346	Wet Welding electrodes\Ø4.76mm, easytouch, 3/16" Mild Steel (NEW)	93,00		
44	H.10.00483	Connector, underwater\RMG-2-FS glass reinforced molded serie (NEW)	74,00		
45	T.99.01622	Hood\8891-010 with optical window\ (NEW)	81,00		











46	T.99.02020	Connector\211222-000 4-pin female cable for MK7 headset\OLD(NEW)	3,00		
47	T.99.02538	Weight pocket\For Arvest harness Mk5\DE399\ (NEW)	15,00		
48	3.50.6009	Housing\Led bell light assembly\ VAISI316L/1.4404(NEW)	40,00		
49	t.99.00288	Gauge cover\KMDSI 420-140\ (NEW)	5,00		
50	H.10.00326	Connector\Chassis, 4P, Male\Amphenol, MS3102A-14S-2P\ (NEW)	4,00		
51	T.99.02234	Harness sheath\Victory S9, lanyard & carabiner, yellow(NEW)	30,00		
52	H.50.06175	Oxygen Booster\Electric driven, 2G,\Max. outlet pressure: 60(NEW)	1,00		
53	P.99.05725	Helmet\Model 5000,White Blue stripe with comms, 100cm hoses(NEW)	1,00		
54	PMM-MAD-0001	Launch and Recovery Systems\Assembly SS Steel Bridge System\ (NEW)	3,00		
55	T.99.03612	LS umbilical DSU0011FLS3\Fibroline, 2x1/4", Yellow/Blue\DSU0(NEW)	8500,00		
56	H.60.00167	Hydraulic cylinder\DW125*70*792\RAL....\ (NEW)	6,00		




57	U.99.00655	Dive umbilical DSUS004\120m, air 3/8", pneum 1/4", video/lig(NEW)	2,00		
58	3.80.3724	Gas cooler\ Including pressure test(NEW)	2,00		
59	T.99.05046	Communicator\4-wire walk & talk, non-rechargeableDC0002-4,(NEW)	13,00		
60	T.99.09065	Depth gauge\8", 0-70MSW / 0-230FSW\0.25% acc.\(NEW)	9,00		
61	T.99.02166	Cutting torch\T1025 Complete set, 90°\5.10.320, 0017,\(NEW)	1,00		
62	T.99.02167	Cutting torch\T1026 Complete set, 55°\0018\ (NEW)	1,00		
63	3.20.1044	Auto Depress System\10 bar Suitcase\ (NEW)	1,00		
64	T.98.00364	Duo Airtech Block\ \5.10.217\ (NEW)	6,00		
65	H.50.02109	Diving umbilical\Fibroline, 131m\DEU0233, Axsu\ (NEW)	1,00		
66	H.10.09429	Connector, underwater\BH8F wet pluggable\ (NEW)	19,00		
67	SH9914	Used - 4 Piece umbilical 57,7 meter - Air - Pneumo - Comms - Video (CDX010710)	1		Bare umbilical (no conn.) € 1.039,- Optional coupling set (standard connectors) € 740,-* *If you want different connectors, price will be different.



68	SH9911	Used - 5 Piece umbilical 57 meter - Air - Pneumo - Comms - Video (CDX010710) - Floating comms line	1		Bare umbilical (no conn.) € 1.029,- Optional coupling set (standard connectors) € 740,- *If you want different connectors, price will be different. No connectors on floating comms line
69	SH9935	Scubaphone 2000SX 2 diver transducer communication set (complete with headphone)	1		Price on request
70	SH9936	New - OTS Gaurdian Mask <u>complete with second stage and communication (with male marsh marine connection)</u>	1		€ 1.350,00
71	SH9937	Multi video, 6 camera system with large screen, 6x IL5F connections	1		Price on request
72	SH9938	1 Diver video system - ligh + camera control Complete with: - Video cable - Camera - Light	1		€ 3.985,00
73	SH9946	Arcair Torch	1		€ 580,00
74		Strong transport case for Kirby Morgan helmet	several available		€ 250,00
75	SH9958	Used - Outland video set, complete with camera, light and 100 meter video cable	1		€ 3.985,00
76	SH9959	Used - Konsberg video set, complete with camera with integrated light and 100 meter video cable	1		€ 2.950,00
77	SH9965-2	Used - N-Diver drysuit with AH yoke - XL - Safety boot size 45	1		€ 495,00
78	SH9965-3	Used - N-Diver drysuit with AH yoke - XL - Safety boot size 46	1		€ 535,00

79		Complete Wet Bell diving spread	1,00		Completely Refurbished, new certificates, etc.: € 175.000,-
80		4 to 6-man, fully road transportable compact bounce dive and saturation system	1,00		As is where is condition € 950.000,-
81	SH9899	Containerized 1370 DDC	1,00		As is € 29.995,-
82		Safety Unit Trailer - Complete system with air control etc., buffers, etc.	1,00		As is only € 2.999,-
83		Hotwater hose	several lengths		Ask for special price!
84		5 piece Hot Water Umbilical +- 180 meter	1,00		€ 5.875,-
85		5 piece Hot Water Umbilical +- 180 meter	1,00		€ 5.875,-
86		5 piece Hot Water Umbilical +- 180 meter	1,00		€ 5.875,-
87		N-Diver Hot Water: undersuit, gloves, boots (not the suit itself) ** NEW **	Several in stock		Undersuits: € 109,-, Gloves € 35,-, Boots: € 42,50
88	SH0978	Junkers compressor - 1850 ltr /min - 230B	1,00		€ 4.975,00

89		Bauer compressor 0.190 M3/min - Diesel	1		€ 2.500,00
90	SH1345	Atlas Copco LP Compressor C/w Lp Reciever in a frame Model GA 5FF 28CFM	1,00		As is €1.500,-
91		Atlas Copco LP Compressor	1		As is where is € 500,-
92		Ingersoll Rand - LP Compressor Model 71T2	1		As where is € 750,-
93		Several tool items	1		€ 75,00
94		Several tool items	1		€ 75,00
95	SH1411	Used 40Mtr 3/4 diameter flow and return hose	1,00		€ 1.270,00
96	SH1316	Cox Gun sets, spares are also available.	3,00		As from € 1.500,- per set
97	SH1316	Complete hydraulic rig for drilling and tapping up to M30, turns left and right. Custom made special unit.	1,00		€ 3.999,00
98	SH9968	Grinder > STANLEY > GR29 USED	1,00		€ 1.450,- (serviced price)

99	SH1312	Used CS11 - Stanley chain saw	1,00		€ 1.785,00
100	SH1311	WRENCH > STANLEY > IW24 USED	1,00		€ 3.950,00
101	SH1308	Used Stanley CH18 - Chipping Hammer	1,00		€ 1.450,00
102	SH1307	Used Stanley CH18 - Chipping Hammer	1,00		€ 1.450,00
103		Pan and tilt system, including camera and joystick + umbilical	1,00		€ 500,00
104		4 ltr 200 bar cylinder	4,00		Ask for price
105		Cylinder 5L 300B (need new certificate and without valve)	15,00		€ 50,00
106		Analox Analysers 100HYP MKIII - NEW	3,00		€ 250,00
107		Analox Analyser 101D2 Monitor	2,00		Ask for price
108	SH9922	Pommec Suit Pro 1100 - Large - Black - Neoprene boots - Neoprene hood - Thick thin latex wrist seals + valves	1,00		€ 750,00

109	SH9920	Pommec Suit Pro 1100 - Large - No boots - No seals	1,00		€ 750,00
110	SH9919	Pommec Suit Pro 1100 - Large - No boots - No seals	1,00		€ 750,00
111	SU5002	SUIT VIKING PRO-3 WITH NEOPR.HOOD SIZE 3	1,00		€ 750,00
112	SH1499	MK1 1e trap bailout complete	1,00		€ 125,00
113		Hale Hamilton regulator	1,00		€ 585,00
114	SH1550	Spare Air Sets for Diving Cage	4,00		€ 445,00
115	UM0022	CUTTING UMB. 3/8"O2 & 50 ² TWISTED - NEW!! NEVER USED	<u>Several lengths available</u>		€ 19,40 per meter
116	SH8000M	NEW - SPECIAL HEAVY DUTY 3 PIECE UMBILICAL (Air - pneumo - comms) - PRICE PER METER:	<u>16 mtr</u>		€ 12,50 per meter
117	SH1409	6 piece twisted umbilical	1,00		Ask for special price!

118	SH1341	23 Mtr - Umbilical 4 Core	1,00		€ 929,00
119	SH0743	27 Mtr - Umbilical 3 Core	1,00		€ 13,- per meter x 27 = € 351,- * Price is for a bare umbilical, connections are not included in this price.
120	SH2002	65 Mtr - Umbilical 5 Core, Air hose, Air hose 2, Hot Water Hose, Pneumo hose + Video cable	1,00		€ 17,- per meter * Price is for a bare umbilical, connections are not included in this price.
121	SH1341	23 Mtr - Umbilical 4 Core	1,00		€ 18,- per meter * Price is for a bare umbilical, connections are not included in this price.
122	SH0746	28 Mtr - Umbilical 3 Core	1,00		€ 13,- per meter * Price is for a bare umbilical, connections are not included in this price.
123	UM0066	1PCS HW 1/2" AQUAFLOW hose	2x 20 mtr and 1x 80 mtr		€ 5,10 per meter * Price is for a bare hose, connections are not included in this price.
124	UM0077	4PCS AIR/PNEUMO/COMMS/VIDEO	40 mtr, 13 mtr and 93 mtr		€ 21,20 per meter * Price is for a bare hose, connections are not included in this price.
125	UM0058	4PCS AIR / PNEUMO / COMMS / BASIC VIDEO	40 mtr		€ 25,60 per meter * Price is for a bare hose, connections are not included in this price.
126	UM0080	3PCS AIR / PNEUMO / BASIC VIDEO	7mtr, 10 mtr and 80 mtr		€ 20,45 per meter * Price is for a bare hose, connections are not included in this price.
127	UM0056	Communication cable	47 mtr		€ 5,35 per meter * Price is for a bare cable, connections are not included in this price.
128	SH1068	Strain relief - Small (for example for comms line) NEW	18,00		€ 47,50

